2024

CASLAD

LEADERS IN WAREHOUSE EQUIPMENT

CONTENTS

LADDERS — 3

TROLLEYS — 10

CASTORS — 19

WHEELS — 35

LIFTING & HANDLING EQUIPMENT — 42

STEEL SCAFFOLDING — 51

ALUMINIUM SCAFFOLDING — 54

ACCESS EQUIPMENT — 55

BINS & STORAGE SOLUTIONS — 56

WORKSHOP SOLUTIONS — 62

RACKING & SHELVING SOLUTIONS — 65

GRAVITY CONVEYOR SYSTEMS — 66

ALUMINIUM LADDERS

MULTI PURPOSE LADDER

- Multipurpose ladder
- Steel locking hinges
- Stabiliser bar standard at both ends
- Rubber non-slip feet

Compact
Spreader Bar
Hinges

Product Code	m	steps	steps	mm	kg
SML4	3.5	6	12	350	135

- Electroplated platform can be added as an optional extra
- Used as a secure standing platform for indoor painting or maintenance etc.
- 135kg load capacity

LAS RANGE

- Heavy duty aluminium ‘A-frame’ industrial stepladder
- Non-slip aluminium steps
- Heavy duty riveted steps
- Rubber non-slip feet
- Versatile HDPE ladder top

Versi Tray
Paint Jug 1.5L
Gusset Support

Product Code	m	steps	mm	kg
LAS3	0.9	3	390	135
LAS4	1.2	4	420	135
LAS5	1.5	5	450	135
LAS6	1.8	6	480	135
LAS8	2.4	8	540	135
LAS10	3.0	10	600	135
LAS12	3.6	12	660	135
LAS14	4.2	14	720	135
LAS16	4.8	16	780	135

LASD RANGE

- Extra heavy duty aluminium ‘A-frame’ double sided stepladder
- Heavy duty hinge
- Non-slip aluminium steps
- Rubber non-slip feet

Gusset Support
Heavy Duty Hinge
Non-slip Feet

Product Code	m	steps	mm	kg
LASD4	1.2	4	420	135
LASD6	1.8	6	480	135
LASD8	2.4	8	540	135
LASD10	3.0	10	600	135
LASD12	3.6	12	660	135

ALUMINIUM LADDERS

FRUIT PICKING LADDER

Composite Feet

HD Hinge

- Adjustable pole with angled composite feet
- Riveted & welded steps
- Designed for grass and soft soils
- Heavy duty construction

m	steps	kg	Product Code
1.8	6	135	FPL6
2.4	8	135	FPL8
3.0	10	135	FPL10

CSL RANGE

Non-slip Feet

Anti-twist Rung

- Single commercial lean-to ladder
- D-style rung eliminates twisting
- Lightweight
- Rubber non-slip feet

m	steps	mm	kg	Product Code
3.0	10	345	115	CSL10
3.6	12	345	115	CSL12
4.2	14	345	115	CSL14
4.8	16	345	115	CSL16
6.0	20	400	135	CSL20

CE RANGE

Aluminium Hooks

Anti-twist Rung

Optional: Pole Rung

- Commercial push-up extension ladder
- D-style rung eliminates twisting
- Rubber non-slip feet
- Pole-rung fitting on request

m	ext-m	mm	kg	Product Code
2.4	4.2	345	115	CE420
2.7	4.8	345	115	CE480
3.0	5.4	345	115	CE540
3.3	6.0	345	115	CE600
3.6	6.6	345	115	CE660
4.2	7.8	345	115	CE780
4.8	9.0	345	115	CE900

ALUMINIUM LADDERS

CSE RANGE

- Step-extension multipurpose industrial stepladder
- D-style rung steps
- Extended wide base for stability
- Can be used as: 'A-frame', double extension or two single ladders

Spreader Bar

Secure Hinge

Anti-twist Rung

Product Code	m	ext-m	mm	kg
CSE420	2.4	4.2	345	115
CSE600	3.3	6.0	345	115
CSE780	4.2	7.8	345	115

HDE DOUBLE EXT RANGE

- Heavy duty industrial double extension ladder
- Rope and pulley system
- D-rungs
- Rubber non-slip feet
- Wall rollers standard
- Cast aluminium ladder locks

Aluminium Locks

Rope & Pulley System

Wall Rollers

Product Code	m	ext-m	mm	kg
HDE900	4.8	9.0	400	135
HDE1080	5.7	10.8	400	135
HDE1200	6.3	12.0	400	135
XHDE1290	6.9	12.9	410	135
XHDE1410	7.5	14.1	410	135

THDE TRIPLE EXT RANGE

- Heavy duty industrial triple extension ladder
- Rope and pulley system
- D-rungs
- Rubber non-slip feet
- Wall rollers standard
- Cast aluminium ladder locks

Aluminium Locks

Rope & Pulley System

Wall Rollers

Product Code	m	ext-m	mm	kg
THDE1260	4.8	12.6	400	135
THDE1440	5.4	14.4	400	135
TXHDE1650	6.3	16.5	410	135
TXHDE1830	6.9	18.3	410	135
TXHDE2010	7.5	20.1	410	135

FIBREGLASS LADDERS

FGS RANGE

- Industrial duty 'A-frame' fibreglass stepladder
- Non-conductive for electrical applications
- Fibreglass ladder with aluminium steps
- Rubber non-slip feet

m	steps	mm	kg	Product Code
0.9	3	405	135	FGS3
1.2	4	435	135	FGS4
1.8	6	490	135	FGS6
2.4	8	545	135	FGS8
3.0	10	610	135	FGS10
3.6	12	670	135	FGS12
4.2	14	725	135	FGS14
4.8	16	795	135	FGS16

FGSD RANGE

- Industrial double sided fibreglass stepladder
- Non-conductive for electrical applications
- Fibreglass ladder with aluminium steps
- Rubber non-slip feet
- Heavy duty hinge

m	steps	mm	kg	Product Code
1.2	4	435	135	FGSD4
1.8	6	490	135	FGSD6
2.4	8	545	135	FGSD8
3.0	10	610	135	FGSD10
3.6	12	670	135	FGSD12

FGS-ALL RANGE

- Industrial duty 'A-frame' fully fibreglass stepladder
- Non-conductive for electrical applications
- Stainless steel component options available
- Fully Fibreglass ladder
- Rubber non-slip feet
- HDPE ladder top

m	steps	mm	kg	Product Code
0.9	3	405	135	FGS3-ALL
1.2	4	435	135	FGS4-ALL
1.8	6	490	135	FGS6-ALL
2.4	8	545	135	FGS8-ALL
3.0	10	610	135	FGS10-ALL
3.6	12	670	135	FGS12-ALL
4.2	14	725	135	FGS14-ALL
4.8	16	795	135	FGS16-ALL

FIBREGLASS LADDERS

FGSD-ALL RANGE

- Industrial duty double sided ‘A-frame’ fully fibreglass ladder
- Suitable for non-conductive electrical applications
- Non-slip rubber feet
- Heavy duty double sided hinge
- Stainless steel component options available

HD Hinge

Non-slip Feet

Non-slip Steps

Product Code	m	steps	mm	kg
FGSD4-ALL	1.2	4	435	135
FGSD6-ALL	1.8	6	490	135
FGSD8-ALL	2.4	8	545	135
FGSD10-ALL	3.0	10	610	135
FGSD12-ALL	3.6	12	670	135

FG-CE RANGE

- Commercial push up fibreglass extension ladder
- D-Style rung eliminates twisting
- Pole-rung fitting included
- Non-slip rubber feet
- Aluminium ladder hooks

Pole Rung

Anti Twist D-Rungs



Non-slip Feet

Product Code	m	ext-m	mm	kg
FGCE480	2.7	4.8	350	115
FGCE600	3.3	6.0	350	115
FGCE780	4.2	7.8	350	115

FG-CSE RANGE

- Commercial fibreglass step extension ladder
- D-Style aluminium rung eliminates twisting
- Extended wide base for stability
- Non-slip rubber feet
- Can be used as A-Frame, double extension or single ladder
- Aluminium ladder hooks

Pole Rung

Anti Twist D-Rungs



Spreader Bar

Product Code	m	ext-m	mm	kg
FGCSE420	2.4	4.2	350	115
FGCSE600	3.3	6.0	350	115
FGCSE780	4.2	7.8	350	115

FIBREGLASS LADDERS

MULTI PURPOSE FIBREGLASS LADDER

Versatile

Spreader Bar

Hinges

- Multipurpose ladder
- Steel locking hinges
- Stabiliser bar standard at both ends
- Rubber non-slip feet

m	steps	steps	mm	kg	Product Code
3.5	6	12	350	135	SML4

FGSL RANGE

Alu Rung

Spiked Feet

- Single industrial lean-to fibreglass ladder
- Non-conductive for electrical applications
- Fibreglass with aluminium rungs
- Spiked feet
- Swivel safety feet available on request

m	steps	mm	kg	Product Code
3.0	10	475	135	FGSL10
3.6	12	475	135	FGSL12
4.2	14	475	135	FGSL14
4.8	16	475	135	FGSL16
6.0	20	475	135	FGSL20

FG EXTENSION RANGE

- Heavy duty fibreglass extension ladder
- Non-conductive for electrical applications
- D-shaped aluminium rungs to prevent twisting
- Available with swivel safety feet, v-roller & safety chain on request
- HDPE injection molded ladder locks

m	ext-m	mm	kg	Product Code
3.3	5.7	475	135	FG211-2
3.9	6.9	475	135	FG213-2
4.2	7.5	475	135	FG214-2
4.8	8.7	475	135	FG216-2
5.4	9.6	475	135	FG218-2
6.0	10.5	475	135	FG220-2
6.3	11.1	475	135	FG221-2
6.9	12.3	475	135	FG223-2



HDPE Ladder Locks

Swivel Safety Feet

Roller & Chain

Rope & Pulley

Spiked Feet

MOBILE LADDERS

MOBILE SAFETY LADDER RANGE

- Ideal for stock picking
- Full safety handrail (except ML2)
- Lockable castors
- Tread width of 600mm

Product Code	mm	steps	mm	mm	kg
ML2	470	2	650	80	150
MLH3	750	3	650	100	150
MLH4	1010	4	650	100	150
MLH6	1520	6	950	100	150
MLH8	2035	8	950	100	150
MLH10	2540	10	950	100	150
MLH12	3050	12	950	100	150
MLH15	3815	15	950	100	150

KICKSTOOL

- Equipped with wheels that will roll along hard floors and most commercial carpets
- When weight is put on it, the spring loaded castors retract so that the step sits firmly and safely on the floor
- The bottom contact surface is a rubber strip that holds the step in place when in use
- Strong and durable.

Product Code	mm	mm	mm	mm	kg
KICKSTOOL	430	435	435	30	100

STEP TROLLEY

- Stock picking trolley with 4 steps
- Electroplated finish
- Lockable castors and hand rail for safety

Product Code	mm	mm	mm	mm	kg
ST4-3/W	1770	525	1500	125	300

INDUSTRIAL TROLLEYS

FOLDING NOSE TROLLEY

Optional: Stair Climber

Optional: Pneumatic

- Versatile folding nose for convenient storage and transport
- 25mm x 2mm tubular construction
- Stair-climbing wheel conversions available
- Pneumatic wheel version available

mm	mm	mm	mm	kg	Product Code
1180	470	385	200	180	FNH3
1180	610	450	200	180	FNH2

COKE TROLLEY

Optional: Pneumatic

- Designed for carrying cases of soft drinks
- 32 x 2mm tubular frame
- Electroplated finish
- Powder coated finish and pneumatic wheels available on request

mm	mm	mm	mm	kg	Product Code
1250	510	270	200	225	CC15

SAB BREWERY TROLLEY

Optional: Pneumatic

- Designed for carrying beer cases
- 32mm x 2mm tubular construction
- Electroplated finish
- Powder coated finish on request
- Pneumatic wheel version on request

mm	mm	mm	mm	kg	Product Code
1350	630	255	200	250	SAB10

HEAVY DUTY CASE TROLLEY

- General purpose store trolley
- Designed for heavy duty applications
- Electroplated finish

mm	mm	mm	mm	kg	Product Code
1510	630	300	200	350	STH14

INDUSTRIAL TROLLEYS

SACK TROLLEY

- Ideally used to transport sacks
- 25mm x 2mm tubular construction
- Electroplated finish

Product Code	mm	mm	mm	mm	kg
ST19	1080	550	260	200	200

SINGLE OXYGEN GAS BOTTLE TROLLEY

- Used to carry single oxygen or acetylene bottles
- Electroplated finish
- Safety chain

Product Code	mm	mm	mm	mm	kg
SX6	1170	450	240	200	200

DOUBLE GAS BOTTLE TROLLEY

- Used to carry oxygen and acetylene bottles
- Electroplated finish
- Safety chain

Product Code	mm	mm	mm	mm	kg
AF12	1260	570	240	200	200

LPG GAS BOTTLE TROLLEY

- Used to carry 48kg LPG gas bottles
- Electroplated finish
- Safety chain

Product Code	mm	mm	mm	mm	kg
SX3	1260	520	335	200	200

DOUBLE LPG / OXYGEN GAS BOTTLE TROLLEY

- Used to carry 48kg LPG, oxygen or acetylene bottles
- Electroplated finish
- Safety chain

Product Code	mm	mm	mm	mm	kg
SX4	1210	740	260	200	250

INDUSTRIAL TROLLEYS

SINGLE ARM DRUM TROLLEY

Lock

- Used to transport 210L steel or various plastic drums
- Electroplated finish
- Fitted with 350mm rubber tyred wheels
- Secure locking mechanism to secure 210L drum

mm	mm	mm	mm	kg	Product Code
1400	350	740	350	300	SAD

DRUM DECANTING TROLLEY

Castor

Wheel

- Used to decant and maneuver 210L steel drums
- Electroplated finish
- Adjustable handle
- Fitted with 50mm rubber castors and 75mm nylon wheels

mm	mm	mm	mm	mm	kg	Product Code
600	500	900	50	75	250	DDT

MAMMOTH / ROCKER TROLLEY

HD Axle

- General purpose warehouse trolley
- 2x handles
- Electroplated finish
- Heavy duty steel axel

mm	mm	mm	mm	mm	kg	Product Code
960	600	1500	125	200	700	ROCKER-GALV

PLATFORM TROLLEY

- Steel platform
- Electroplated finish
- Powder coated finish available on request
- Wooden deck available on request

mm	mm	mm	mm	kg	Product Code
980	600	900	100 / 125	500	SA1
980	680	1200	100 / 125	500	SAT1

INDUSTRIAL TROLLEYS

FOLDING HANDLE PLATFORM TROLLEY

- Foldable handle for easy and convenient storage and transportation
- Rubber non-slip deck
- Powder coated finish

Foldable Handle

Product Code	mm	mm	mm	mm	kg
PT-FH-S	900	485	760	100	150
PT-FH-L	900	620	920	100	250

TURNTABLE TROLLEY

- Heavy duty friction turntable plate
- Electroplated finish
- Easily maneuverable
- Available with steel or wooden deck
- Supplied with 350mm rubber tyred wheels

Standard Wheel

Optional: Pneumatic

Product Code	mm	mm	mm	mm	kg
HTL5	480	760	1500	350	680
HTL7	480	900	1800	350	680

2 TIER STOCK PICKING TROLLEY - POLYPROPYLENE

- General purpose stock picking trolley
- Durable polypropylene deck
- Tubular construction

Product Code	mm	mm	mm	mm	kg
SPP2	710	500	800	100	200

2 TIER STOCK PICKING TROLLEY - STEEL

- General purpose stock picking trolley
- Steel trays with rubber non-slip deck
- 2x handles
- Tubular construction

Product Code	mm	mm	mm	mm	kg
SPS2	660	480	740	100	120

INDUSTRIAL TROLLEYS

STOCK PICKING TROLLEY

- Used for order picking and general warehouse use
- Available in 2 or 3 tiers
- Electroplated finish
- Powder coated finish available on request

mm	mm	mm	mm	kg	Product Code
920	520	920	100 / 125	240	SP36/2
920	520	920	100 / 125	240	SP36/3
1100	630	1085	100 / 125	240	SP42/2
1100	630	1085	100 / 125	240	SP42/3

PARCEL TROLLEY

- General purpose wire trolley
- Electroplated finish
- Available with lockable lid

mm	mm	mm	mm	kg	Product Code
1100	650	940	100	300	Parcel Trolley

BOX TROLLEY

- Wire mesh box trolley
- Electroplated finish
- Available with lockable lid

mm	mm	mm	mm	kg	Product Code
970	915	610	125	600	BT3
970	1220	610	125	600	BT4

STANDARD SECURITY ROLLTAINER

- Secure rolltainer to transport and store items
- Single door
- Electroplated finish

mm	mm	mm	mm	kg	Product Code
1850	900	700	125	600	ROLLTAINER

INDUSTRIAL TROLLEYS

MEDIUM DUTY POLYPROPYLENE DOLLY TROLLEY

- Durable plastic dolly trolley
- Available in black, green, blue, brown, orange and red
- Stackable for easy storage
- Fitted with 2x swivel and 2x fixed castors

Product Code	mm	W mm	L mm	mm	kg
DOLLY	180	600	800	100	350

HEAVY DUTY PLASTIC DOLLY TROLLEY

- Durable plastic dolly trolley
- Suitable for hygienic and food grade applications
- Stackable for easy storage
- Fitted with 2x swivel and 2x fixed castors

Product Code	mm	W mm	L mm	mm	kg
DOLLY	200	600	800	100	400

PLYWOOD DOLLY TROLLEY

- Plywood platform dolly trolley
- Birch Trans non-slip coating
- Designed with handle inserts for ease of carrying
- Fitted with 2x swivel and 2x fixed castors

Product Code	mm	W mm	L mm	mm	kg
PWD-BT	160	600	800	125	400

EURO ALUMINIUM DOLLY TROLLEY

Polypropylene Corners

- Versatile aluminium platform dolly trolley
- Stackable for easy storage
- Fitted with 2x swivel and 2x fixed castors
- Can be sized to fit your application

Product Code	mm	W mm	L mm	mm	kg
Single Dolly - Alu	160	400	600	100	250
Double Dolly - Alu	160	600	800	100	250

POLYPROPYLENE DOLLY TROLLEY

- Durable polypropylene platform dolly trolley
- Stackable for easy storage
- Fitted with 2x swivel and 2x fixed castors

Product Code	mm	W mm	L mm	mm	kg
POLY-DOLLY	175	585	800	100	225

INDUSTRIAL TROLLEYS

BIN TROLLEY

- General purpose rounded polyurethane bin
- Larger castors can be fitted on request

mm	mm	mm	mm	L	Product Code
730	760	1106	100 / 125	320	BNEST

BIN TROLLEY WITH LID

- General purpose polyurethane bin
- Larger castors can be fitted on request
- Available with or without steel base

mm	mm	mm	mm	L	Product Code
730	760	1106	100 / 125	320	BNEST - FLAT

MOBILE REFUSE BIN

- 130 Litre bin has 48kg capacity
- 240 Litre bin has 96kg capacity
- Available in various colours: charcoal, green, orange, red, yellow
- Made from robust polyethylene which is resistant against harsh elements, resisting acids, cracks, dents and bending

mm	mm	mm	mm	Litres	kg	Product Code
1000	470	550	200	130	48	OTTO 130
1000	580	720	200	240	96	OTTO 240

MOBILE WHEELIE BIN

- Made from robust polyethylene which is resistant against harsh elements, resisting acids, cracks, dents and bending
- 660L available in various colours: black, blue, green, grey, orange, red, yellow
- 770L available in green
- 1100L available in various colours: blue, green, grey, yellow

mm	mm	mm	mm	L	Product Code
1220	820	1380	100	660	MWB-660
1280	780	1340	200	770	MWB-770
1300	1030	1430	200	1100	MWB-1100

SHOPPING TROLLEYS

2 TIER BASKET TROLLEY

- Electroplated finish
- Customisable handle

Product Code	mm	mm	mm	mm
Basket Trolley	970	400	650	75

3 TIER BASKET TROLLEY

- Electroplated finish
- Customisable handle

Product Code	mm	mm	mm	mm
3 Basket Trolley	980	410	630	100

DELUXE SHOPPER TROLLEY

- 2 tier general purpose shopping trolley
- Electroplated finish
- Customisable handle

Product Code	mm	mm	mm	mm	L
Deluxe Shopper	940	370	570	100	80

SUPER SHOPPING TROLLEY

- 2 tier general purpose shopping trolley
- Electroplated finish
- Customisable handle

Product Code	mm	mm	mm	mm	L
Super Shopper - Med	1050	490	810	125	120
Super Shopper - Lar	1060	540	960	125	160

LIQUOR TROLLEY

- General purpose liquor trolley
- Electroplated finish
- Customisable handle

Product Code	mm	mm	mm	mm	L
120L Liquor	1010	570	1010	125	120
160L Liquor	1070	480	770	125	160

SHOPPING TROLLEYS

SHOPPING TROLLEY

- General purpose shopping trolley
- Electroplated finish
- Customisable handle

mm	mm	mm	mm	L	Product Code
1020	570	850	125	140	140L Shopper
1100	590	1060	125	210	210L Shopper

SHOPPING BASKETS

- Durable plastic shopping baskets
- Available in a range of colours: black, blue, green, grey, orange, pink, red, yellow

mm	mm	mm	L	Product Code
250	325	450	36	Baskets

SHOPPING BASKETS STAND

- Floor stand for plastic shopping baskets
- Available with or without wheels

mm	mm	mm	mm	Product Code
400	340	650	50	Basket Stand

MERCHANDISER + BIT BASKET

- Steel mesh trolley with bit basket
- Bit basket dimensions: 500mm (W) x 200mm (L) x 160mm (H)
- Electroplated finish

mm	mm	mm	mm	kg	Product Code
900	600	1100	125	250	BIT-BASKET

MERCHANDISER + TOP TRAY

- Steel mesh trolley with swivel top tray
- Top tray dimensions: 480mm (W) x 640mm (L) x 110mm (H)
- Electroplated finish

mm	mm	mm	mm	kg	Product Code
900	600	1100	125	250	TOP-TRAY

CASTORS KEY

- Wheel diameter
- External dimension mounting plate
- Mounting dimension
- Hole diameter
- Hole fitting size
- Offset dimension
- Total height

WHEELS KEY

- Tread width
- Hub width
- Load capacity
- Bushing diameter
- Bolt size

INDUSTRIAL CASTORS

270 SERIES

Anti-corrosion wheel

Rim: Polypropylene
Tread: Thermoplastic Rubber

Bearing: Plain or Ball Bearing
Load Capacity: 50kg - 100kg

mm	mm	mm	mm	mm	mm	kg	Product Code
50	60 x 60	48/38 x 48/38	6	30	69	50	270R50P40
75	60 x 60	48/38 x 48/38	6	25	100	75	270R75P40
100	77 x 67	61/56 x 51/46	8	40	135	80	270R100P60
125	77 x 67	61/56 x 51/46	8	45	160	100	270R125P60

50	60 x 60	48/38 x 48/38	6	.	69	50	278R50P40
75	60 x 60	48/38 x 48/38	6	.	100	75	278R75P40
100	77 x 67	61/56 x 51/46	8	.	135	80	278R100P60
125	77 x 67	61/56 x 51/46	8	.	160	100	278R125P60

50	60 x 60	48/38 x 48/38	6	30	69	50	277R50P40
75	60 x 60	48/38 x 48/38	6	25	100	75	277R75P40
100	77 x 67	61/56 x 51/46	8	40	135	80	277R100P60
125	77 x 67	61/56 x 51/46	8	45	160	100	277R125P60

mm	mm	mm	mm	kg	Product Code
50	11	30	69	50	270R50P30
75	11	30	100	75	270R75P30
100	13	40	135	80	270R100P30
125	13	45	160	100	270R125P30

50	11	30	69	50	277R50P30
75	11	30	100	75	277R75P30
100	13	40	135	80	277R100P30
125	13	45	160	100	277R125P30

mm	mm	mm	mm	Ø	kg	Product Code
50	19	21	6	M6	50	PJO050
75	25	30	6	M6	75	PJO075
100	30	35	8	M8	80	PJR100
125	30	35	8	M8	100	PJR125

INDUSTRIAL CASTORS

VRB SERIES
Premium Vulcanised Rubber

Rim: Polyamide
Tread: Grey elastic rubber
Bearing: Ball Bearing
Load Capacity: 200kg - 350kg

Product Code	mm	mm	mm	mm	mm	mm	kg
380VRB100P62	100	105 x 80	80/77 x 60	9	40	128	200
380VRB125P62	125	105 x 80	80/77 x 60	9	40	255	220
380VRB160P63	160	135 x 110	105 x 84/76	11	55	195	300
380VRB200P63	200	135 x 110	105 x 84/76	11	55	235	350

378VRB100P62	100	105 x 80	80/77 x 60	9	.	128	200
378VRB125P62	125	105 x 80	80/77 x 60	9	.	255	220
378VRB160P63	160	135 x 110	105 x 84/76	11	.	195	300
378VRB200P63	200	135 x 110	105 x 84/76	11	.	235	350

377VRB100P62	100	105 x 80	80/77 x 60	9	40	128	200
377VRB125P62	125	105 x 80	80/77 x 60	9	40	255	220
377VRB160P63	160	135 x 110	105 x 84/76	11	55	195	300
377VRB200P63	200	135 x 110	105 x 84/76	11	55	235	350

Product Code	mm	mm	mm	mm	Ø	kg
VRB100	100	35	40	8	M8	200
VRB125	125	38	52	10	M10	220
VRB160	150	46	59	12	M12	300
VRB200	200	46	59	12	M12	350

EXPANSION PLUGS

Shape: Round or Square

Product Code	mm	◯ - tube	□ - tube	Allen Key Size
R07 - 19/20	19 - 21	◯		M8
R07 - 21/24	21 - 24	◯		M8
R07 - 24/27	24 - 27	◯		M8
R47 - 21/24	21 - 24		□	M8
R47 - 24/27	24 - 27		□	M8
R47 - 27/30	27 - 30		□	M8

INDUSTRIAL CASTORS

22 SER SERIES

Elastic rubber tyred wheel

Rim: Polyamide
Tread: Elastic Rubber

Bearing: Ball Bearing
Load Capacity: 90kg - 250kg

mm	mm	mm	mm	mm	mm	kg	Product Code
80	104 x 80	76 x 56	8	30	108	90	322SER
100	104 x 80	76 x 56	8	35	128	120	422SER
125	104 x 80	76 x 56	8	40	159	140	522SER
150	138 x 114	105 x 85	10	47	195	200	622SER
200	138 x 114	105 x 85	10	51	240	250	822SER

80	104 x 80	76 x 56	8	.	108	90	329SER
100	104 x 80	76 x 56	8	.	128	120	429SER
125	104 x 80	76 x 56	8	.	159	140	529SER
150	138 x 114	105 x 85	10	.	195	200	629SER
200	138 x 114	105 x 85	10	.	240	250	829SER

80	104 x 80	76 x 56	8	30	108	90	322SER/BK
100	104 x 80	76 x 56	8	35	128	120	422SER/BK
125	104 x 80	76 x 56	8	40	159	140	522SER/BK
150	138 x 114	105 x 85	10	47	195	200	622SER/BK
200	138 x 114	105 x 85	10	51	240	250	822SER/BK

mm	mm	mm	mm	kg	Product Code
80	12	30	108	90	322SER/BH
100	12	35	128	120	422SER/BH
125	12	40	159	140	522SER/BH

80	12	30	108	90	322SER/BH/BK
100	12	35	128	120	422SER/BH/BK
125	12	40	159	140	522SER/BH/BK

mm	mm	mm	mm	Ø	kg	Product Code
80	30	37	8	M8	90	SER80
100	32	37	8	M8	120	SER100
125	36	48	10	M10	140	SER125
150	47	55	20/25	M12	200	SER150
200	50	59	20/25	M12	250	SER200BB

INDUSTRIAL CASTORS



22 NY SERIES

Nylon tyred wheel

Wheel: Nylon

Bearing: Plain Bearing

Load Capacity: 80kg - 250kg

Product Code	mm	mm	mm	mm	mm	mm	kg
322NY	80	104 x 80	76 x 56	8	30	108	80
422NY	100	104 x 80	76 x 56	8	35	128	100
522NY	125	104 x 80	76 x 56	8	40	159	140
622NY	150	138 x 114	105 x 85	10	47	195	180
822NY	200	138 x 114	105 x 85	10	51	240	250

329NY	80	104 x 80	76 x 56	8	.	108	80
429NY	100	104 x 80	76 x 56	8	.	128	100
529NY	125	104 x 80	76 x 56	8	.	159	140
629NY	150	138 x 114	105 x 85	10	.	195	180
829NY	200	138 x 114	105 x 85	10	.	240	250

322NY/BK	80	104 x 80	76 x 56	8	30	108	80
422NY/BK	100	104 x 80	76 x 56	8	35	128	100
522NY/BK	125	104 x 80	76 x 56	8	40	159	140
622NY/BK	150	138 x 114	105 x 85	10	47	195	180
822NY/BK	200	138 x 114	105 x 85	10	51	240	250

Product Code	mm	mm	mm	mm	kg
322NY/BH	80	12	30	108	80
422NY/BH	100	12	35	128	100
522NY/BH	125	12	40	159	140

322NY/BH/BK	80	12	30	108	80
422NY/BH/BK	100	12	35	128	100
522NY/BH/BK	125	12	40	159	140

Product Code	mm	mm	mm	mm	Ø	kg
WNY3/C	80	28	36	12	M8	80
WNY4/C	100	30	36	12	M8	100
WNY5/C	125	40	46	15	M10	140
WNY6	150	39	58	19	M20	180
WNY8BB	200	45	53	20/25	M20/M25	250

INDUSTRIAL CASTORS

22 UAR SERIES

Nylon centred and Polyurethane tyred wheel

Rim: Nylon
Tread: Polyurethane

Bearing: Ball Bearing
Load Capacity: 90kg - 250kg

mm	mm	mm	mm	mm	mm	kg	Product Code
80	104 x 80	76 x 56	8	30	108	90	322UAR
100	104 x 80	76 x 56	8	35	128	120	422UAR
125	104 x 80	76 x 56	8	40	159	140	522UAR
150	138 x 114	105 x 85	10	47	195	200	622UAR
200	138 x 114	105 x 85	10	51	240	250	822UAR

80	104 x 80	76 x 56	8	.	108	90	329UAR
100	104 x 80	76 x 56	8	.	128	120	429UAR
125	104 x 80	76 x 56	8	.	159	140	529UAR
150	138 x 114	105 x 85	10	.	195	200	629UAR
200	138 x 114	105 x 85	10	.	240	250	829UAR

80	104 x 80	76 x 56	8	30	108	90	322UAR/BK
100	104 x 80	76 x 56	8	35	128	120	422UAR/BK
125	104 x 80	76 x 56	8	40	159	140	522UAR/BK
150	138 x 114	105 x 85	10	47	195	200	622UAR/BK
200	138 x 114	105 x 85	10	51	240	250	822UAR/BK

mm	mm	mm	mm	kg	Product Code
80	12	30	108	90	322UAR/BH
100	12	35	128	120	422UAR/BH
125	12	40	159	140	522UAR/BH

80	12	30	108	90	322UAR/BH/BK
100	12	35	128	120	422UAR/BH/BK
125	12	40	159	140	522UAR/BH/BK

mm	mm	mm	mm	Ø	kg	Product Code
80	30	38	15	M8	90	UAR080
100	30	38	15	M8	120	UAR100
125	31	38	15	M10	140	UAR125
150	43	60	20	M12	200	WPN6
200	45	60	20	M12	250	WPN8

INDUSTRIAL CASTORS

22 PU SERIES

Polyurethane tyred wheel

Rim: Cast Iron
Tread: Polyurethane
Bearing: Ball Bearing
Load Capacity: 90kg - 350kg

Product Code	mm	mm	mm	mm	mm	mm	kg
322PU	80	104 x 80	76 x 56	8	38	108	120
422PU	100	104 x 80	80 x 60	8	45	133	250
522PU	125	104 x 80	80 x 60	8	35	159	250
622PU	150	138 x 114	105 x 85	10	55	195	300
822PU	200	138 x 114	105 x 85	10	55	240	350

329PU	80	104 x 80	76 x 56	8	.	108	120
429PU	100	104 x 80	80 x 60	8	.	133	250
529PU	125	104 x 80	80 x 60	8	.	159	250
629PU	150	138 x 114	105 x 85	10	.	195	300
829PU	200	138 x 114	105 x 85	10	.	240	350

322PU/BK	80	104 x 80	76 x 56	8	38	108	120
422PU/BK	100	104 x 80	80 x 60	8	45	133	250
522PU/BK	125	104 x 80	80 x 60	8	35	159	250
622PU/BK	150	138 x 114	105 x 85	10	55	195	300
822PU/BK	200	138 x 114	105 x 85	10	55	240	350

Product Code	mm	mm	mm	mm	kg
322PU/BH	80	12	30	108	90
422PU/BH	100	12	35	128	120
522PU/BH	125	12	40	159	140

322PU/BH/BK	80	12	30	108	90
422PU/BH/BK	100	12	35	128	120
522PU/BH/BK	125	12	40	159	140



Product Code	mm	mm	mm	mm	ø	kg
PU080	80	30	35	10	M8	120
PU100	100	30	37	10	M8	250
PU125	125	40	41	15	M10	250
WPU150	150	46	59	20	M12	400
WPU200	200	46	59	20	M12	500

INDUSTRIAL CASTORS

22 CW SERIES

Cast Iron wheel

Wheel: Cast Iron

Bearing: Plain Bearing
Load Capacity: 120kg

mm	mm	mm	mm	mm	mm	kg	Product Code
100	104 x 80	76 x 56	8	35	128	120	422CW

mm	mm	mm	mm	mm	mm	kg	Product Code
100	104 x 80	76 x 56	8	.	128	120	429CW

mm	mm	mm	mm	Ø	kg	Product Code
75	28	36	12	M8	120	WCW0312P12
100	32	48	15	M10	200	WCW0412P12

61 & 88 CW SERIES

Cast Iron wheel

Wheel: Cast Iron

Bearing: Plain Bearing
Load Capacity: 120kg - 200kg

mm	mm	mm	mm	mm	mm	kg	Product Code
75	104 x 80	82 x 60	8	20	108	120	361CW
100	128 x 102	103 x 76	8/10	20	128	200	461CW

mm	mm	mm	mm	mm	mm	kg	Product Code
75	104 x 80	82 x 60	8	.	108	120	388CW
100	120 x 80	100 x 48	8/10	.	128	200	488CW

mm	mm	mm	mm	Ø	kg	Product Code
75	32	40	10	M10	120	WCW0312P12
100	32	48	15	M10	200	WCW0412P12

INDUSTRIAL CASTORS

61 & 88 NY SERIES

Nylon wheel

Wheel: Nylon

Bearing: Plain Bearing

Load Capacity: 50kg - 200kg

Product Code	mm	mm	mm	mm	mm	mm	kg
GN32	30	38 x 32	30 x 24	4	15	40	15
GN38	38	46 x 38	34 x 30	5	20	50	20
962NY	50	64 x 48	54 x 26	6	25	64	50
261NY	65	95 x 70	75 x 45	8	20	85	75
361NY	75	104 x 80	82 x 60	8	20	95	125
461NY	100	120 x 80	100 x 48	10	20	125	200

Product Code	mm	mm	mm	mm	mm	mm	kg
288NY	65	112 x 58	89 x 26	8	.	85	75
388NY	75	104 x 80	82 x 60	8	.	95	125
488NY	100	128 x 102	103 x 76	10	.	125	200

Product Code	mm	mm	mm	mm	Ø	kg
WNY20	50	23	26	6	M6	50
WNY25	65	28	34	8	M8	75
WNY3	75	31	38	8	M8	125
WNY4	100	30	47	15	M10	200

61 & 88 PU SERIES

Polyurethane tyred wheel

Rim: Cast Iron

Tread: Polyurethane

Bearing: Ball Bearing

Load Capacity: 125kg - 200kg

Product Code	mm	mm	mm	mm	mm	mm	kg
361PUR	80	104 x 80	82 x 60	8	15	95	125
461PUR	100	128 x 102	103 x 76	10	20	125	200

Product Code	mm	mm	mm	mm	mm	mm	kg
388PUR	80	104 x 80	82 x 60	8	.	95	125
488PUR	100	120 x 80	100 x 48	10	.	125	200



Product Code	mm	mm	mm	mm	Ø	kg
PUR080	80	30	40	8	M8	125
PUR100	100	30	40	8	M8	200



STAINLESS STEEL CASTORS

STAINLESS STEEL SERIES

Nylon tyred wheel

Wheel: Nylon
Bracket: Stainless Steel

Bearing: Plain Bearing
Load Capacity: 125kg - 180kg

mm	mm	mm	mm	mm	mm	kg	Product Code
80	104 x 80	76 x 56	8	40	108	125	322NY-SS
100	104 x 80	76 x 56	8	40	128	180	422NY-SS



mm	mm	mm	mm	mm	mm	kg	Product Code
80	104 x 80	76 x 56	8	.	108	125	329NY-SS
100	104 x 80	76 x 56	8	.	128	180	429NY-SS



mm	mm	mm	mm	mm	mm	kg	Product Code
80	104 x 80	76 x 56	8	40	108	125	322NY-BK-SS
100	104 x 80	76 x 56	8	4	128	180	422NY-BK-SS

mm	mm	mm	mm	mm	kg	Product Code
80	12	40	108		125	322NY-SS/BH
100	12	40	128		180	422NY-SS/BH

mm	mm	mm	mm	kg	Product Code
80	12	40	108	125	322NY-SS/BH/BK
100	12	40	128	180	422NY-SS/BH/BK

mm	mm	mm	mm	ø	kg	Product Code
80	28	36	12	M12	125	WNY3
100	30	47	15	M15	180	WNY4

INDUSTRIAL CASTORS

TS & TF SERIES

Heavy duty Castor with electroplated steel construction

Rim: Cast Iron
Tread: Polyurethane

Bearing: Ball Bearing
Load Capacity: 250kg - 500kg

Product Code	mm	mm	mm	mm	mm	mm	kg
TS4PUR	100	115 x 100	85 x 72	10	35	143	250
TS5PUR	125	115 x 100	85 x 72	10	39	168	300
TS6PUR	150	115 x 100	85 x 72	10	45	195	400
TS8PUR	200	115 x 100	85 x 72	10	56	240	500
TF4PUR	100	115 x 100	85 x 72	10	.	143	250
TF5PUR	125	115 x 100	85 x 72	10	.	168	300
TF6PUR	150	115 x 100	85 x 72	10	.	195	400
TF8PUR	200	115 x 100	85 x 72	10	.	240	500
TS4PUR/BK	100	115 x 100	85 x 72	10	35	143	250
TS5PUR/BK	125	115 x 100	85 x 72	10	39	168	300
TS6PUR/BK	150	115 x 100	85 x 72	10	45	195	400
TS8PUR/BK	200	115 x 100	85 x 72	10	56	240	500

TH & THR SERIES MEDIUM DUTY

Polyurethane tyred wheel

Rim: Cast Iron
Tread: Polyurethane

Bearing: Ball Bearing
Load Capacity: 300kg - 800kg

Product Code	mm	mm	mm	mm	mm	mm	kg
TH4PUR	100	155 x 100	116 x 65	13	40	154	300
TH5PUR	125	155 x 100	116 x 65	13	46	185	350
TH6PUR	150	155 x 100	116 x 65	13	46	206	550
TH8PUR	200	155 x 100	116 x 65	13	51	256	750
TH10PUR	250	155 x 100	116 x 65	13	67	307	800
THR4PUR	100	155 x 100	116 x 65	13	.	154	300
THR5PUR	125	155 x 100	116 x 65	13	.	185	350
THR6PUR	150	155 x 100	116 x 65	13	.	206	550
THR8PUR	200	155 x 100	116 x 65	13	.	256	750
THR10PUR	250	155 x 100	116 x 65	13	.	307	800
TH4PUR/BK	100	155 x 100	116 x 65	13	40	154	300
TH5PUR/BK	125	155 x 100	116 x 65	13	46	185	350
TH6PUR/BK	150	155 x 100	116 x 65	13	46	206	550
TH8PUR/BK	200	155 x 100	116 x 65	13	51	256	750
TH10PUR/BK	250	155 x 100	116 x 65	13	67	307	800

INDUSTRIAL CASTORS

TH & THR SERIES HEAVY DUTY

Polyurethane tyred wheel

Rim: Cast Iron
Tread: Polyurethane
Bearing: Ball Bearing
Load Capacity: 350kg - 1000kg

mm	mm	mm	mm	mm	mm	kg	Product Code
100	155 x 100	116 x 65	13	40	154	350	TH4PUR
125	155 x 100	116 x 65	13	46	185	400	TH5PUR
150	155 x 100	116 x 65	13	46	206	700	TH6PUR
200	155 x 100	116 x 65	13	51	256	950	TH8PUR
250	155 x 100	116 x 65	13	67	307	1000	TH10PUR
300	155 x 100	116 x 65	13	96	356	1000	TH12PUR

100	155 x 100	116 x 65	13	.	154	350	THR4PUR
125	155 x 100	116 x 65	13	.	185	400	THR5PUR
150	155 x 100	116 x 65	13	.	206	700	THR6PUR
200	155 x 100	116 x 65	13	.	256	950	THR8PUR
250	155 x 100	116 x 65	13	.	307	1000	THR10PUR
300	155 x 100	116 x 65	13	.	356	1000	THR12PUR

100	155 x 100	116 x 65	13	40	154	350	TH4PUR/BK
125	155 x 100	116 x 65	13	46	185	400	TH5PUR/BK
150	155 x 100	116 x 65	13	46	206	700	TH6PUR/BK
200	155 x 100	116 x 65	13	51	256	950	TH8PUR/BK
250	155 x 100	116 x 65	13	67	307	1000	TH10PUR/BK
300	155 x 100	116 x 65	13	96	356	1000	TH12PUR/BK

TH & THR SERIES HEAVY DUTY

Cast Iron wheel

Wheel: Cast Iron
Bearing: Ball Bearing
Load Capacity: 500kg - 1000kg

mm	mm	mm	mm	mm	mm	kg	Product Code
100	155 x 100	116 x 65	13	40	154	500	TH4CW
125	155 x 100	116 x 65	13	46	185	600	TH5CW
150	155 x 100	116 x 65	13	46	206	850	TH6CW
200	155 x 100	116 x 65	13	51	256	900	TH8CW
250	155 x 100	116 x 65	13	67	307	950	TH10CW
300	155 x 100	116 x 65	13	96	356	1000	TH12CW

100	155 x 100	116 x 65	13	.	154	500	THR4CW
125	155 x 100	116 x 65	13	.	185	600	THR5CW
150	155 x 100	116 x 65	13	.	206	850	THR6CW
200	155 x 100	116 x 65	13	.	256	900	THR8CW
250	155 x 100	116 x 65	13	.	307	950	THR10CW
300	155 x 100	116 x 65	13	.	356	1000	THR12CW

INDUSTRIAL CASTORS

STC & FTC SERIES MEDIUM DUTY

Polyurethane tyred wheel

Rim: Cast Iron
Tread: Polyurethane
Bearing: Ball Bearing
Load Capacity: 1300kg - 2500kg

Product Code	mm	mm	mm	mm	mm	mm	kg
STC200x75PUB - M	200	165 x 130	127 x 89	16.5	50	266	1300
STC250x75PUB - M	250	165 x 130	127 x 89	16.5	68	311	1800
STC300x75PUB - M	300	165 x 130	127 x 89	16.5	94	363	1800
FTC200x75PUB - M	200	165 x 130	127 x 89	16.5	.	266	1300
FTC250x75PUB - M	250	165 x 130	127 x 89	16.5	.	311	1800
FTC300x75PUB - M	300	165 x 130	127 x 89	16.5	.	363	1800

STC & FTC SERIES HEAVY DUTY

Polyurethane tyred wheel

Product Code	mm	mm	mm	mm	mm	mm	kg
STC200x75PUB - H	200	190 x 150	150 x 110	18.5	60	266	1450
STC250x75PUB - H	250	190 x 150	150 x 110	18.5	66	311	1800
STC300x75PUB - H	300	190 x 150	150 x 110	18.5	88	363	2200
STC400x75PUB - H	400	190 x 150	150 x 110	18.5	108	480	2500
FTC200x75PUB - H	200	190 x 150	150 x 110	18.5	.	266	1450
FTC250x75PUB - H	250	190 x 150	150 x 110	18.5	.	311	1800
FTC300x75PUB - H	300	190 x 150	150 x 110	18.5	.	363	2200
FTC400x75PUB - H	400	190 x 150	150 x 110	18.5	.	480	2500

STC & FTC SERIES EXTRA HEAVY DUTY

Polyurethane tyred wheel

Product Code	mm	mm	mm	mm	mm	mm	kg
STC250x75PUB - EH	250	240 x 180	197 x 102	18.5	66	330	1800
STC300x75PUB - EH	300	240 x 180	197 x 102	18.5	88	380	2200
STC400x75PUB - EH	400	240 x 180	197 x 102	18.5	108	538	2500
FTC250x75PUB - EH	250	240 x 180	197 x 102	18.5	.	330	1800
FTC300x75PUB - EH	300	240 x 180	197 x 102	18.5	.	380	2200
FTC400x75PUB - EH	400	240 x 180	197 x 102	18.5	.	538	2500

Product Code	mm	mm	mm	mm	Ø	kg Med	kg Heavy	kg X-Heavy
WPU083B25	200	75	85	25	M16	1300	1450	.
WPU103B25	250	75	85	25	M16	1800	1800	1800
WPU123B25	300	75	85	25	M16	1800	2200	2200
WPU164B25	400	75	85	25/30	M16	.	2500	2500
WPU164B25	400	100	105	25/30	M16	.	.	2500

SCAFFOLDING CASTORS

SCAFFOLDING NY SERIES

Nylon wheel

Wheel: Nylon

Bearing: Roller Bearing
Load Capacity: 200kg - 350kg

mm	mm	mm	mm	kg	Product Code
125	100	32	160	200	FG45NY/32
150	120	35	200	300	FG56NY/35/C
200	120	38	245	350	FG58NY/38/C

SCAFFOLDING PU SERIES

Polyurethane tyred wheel

Rim: Cast Iron
Tread: Polyurethane

Bearing: Roller Bearing
Load Capacity: 350kg - 400kg

mm	mm	mm	mm	kg	Product Code
150	120	35	200	350	FG56PU/35/C
150	120	38	200	350	FG56PU/38/C
200	120	35	245	400	FG58PU/35/C
200	120	38	245	400	FG58PU/38/C

SCAFFOLDING PU PLATE SERIES

Polyurethane tyred wheel

Rim: Cast Iron
Tread: Polyurethane

Bearing: Roller Bearing
Load Capacity: 400kg

mm	mm	mm	mm	kg	Product Code
200	140	110	245	400	FG58PU/PLATE

SCAFFOLDING PU WITH JACK

Polyurethane tyred wheel

Rim: Cast Iron
Tread: Polyurethane

Bearing: Roller Bearing
Load Capacity: 400kg

mm	mm	mm	mm	kg	Product Code
200	440/740	35/38	245	400	FG58PU/JACK

INDUSTRIAL CASTORS

PNEUMATIC SERIES

Ideal for rough terrain

Rim: Steel
Tread: Rubber

Bearing: Ball Bearing
Load Capacity: 80kg - 100kg

Product Code	mm	mm	mm	mm	mm	kg
TS8PNU/C	220	115 x 100	85 x 72	10	260	80
TS10PNU/C	260	115 x 100	85 x 27	10	300	100

Product Code	mm	mm	mm	mm	mm	kg
TF8PNU/C	220	115 x 100	85 x 72	10	260	80
TF10PNU/C	260	115 x 100	85 x 72	10	300	100

PNEUMATIC HEAVY DUTY SERIES

Ideal for rough terrain

Rim: Steel
Tread: Rubber

Bearing: Ball Bearing
Load Capacity: 80kg - 100kg

Product Code	mm	mm	mm	mm	mm	kg
TH8PNU/C	220	115 x 100	85 x 72	10	260	80
TH10PNU/C	260	115 x 100	85 x 27	10	300	100

Product Code	mm	mm	mm	mm	mm	kg
THF8PNU/C	220	115 x 100	85 x 72	10	260	80
THF10PNU/C	260	115 x 100	85 x 72	10	300	100

Product Code	mm	mm	mm	mm	Ø	kg
WSP082B	220	60	95	13/16	M12	80
WSP1034B	260	80	100	16/25	M12	100

FURNITURE CASTORS

Twin wheel, hooded nylon castor

Wheel: Nylon

Bearing: Ball Bearing
Load Capacity: 50kg - 60kg

Product Code	mm	mm	mm	mm	mm	kg
CM5008BL	50	32 x 8	.	8	.	50
CM5010BL	50	38 x 10	.	10	.	60
CM5008BB	50	38 x 10	.	8	.	60
CM5010BB	50	38 x 10	.	10	.	60

INDUSTRIAL CASTORS

BOLTSTEM CASTOR

Nylon centre with
Rubber tyred wheel

Rim: Nylon
Tread: Rubber

Bearing: Plain Bearing
Load Capacity: 40kg

mm	mm	mm	mm	mm	kg	Product Code
75	35	11	28	135	40	GR75BS

FOOTMASTER

Leveling & shock-absorbing

Rim: Steel
Tread: Nylon

Bearing: Plain Bearing
Load Capacity: 50kg - 750kg

mm	mm	mm	mm	mm	mm	kg	Product Code
40	55 x 55	42 x 42	7.2	30.5	72	50	footmaster-40mm
50	75 x 75	57 x 57	7.5	38	85.7	250	footmaster-50mm
62	90 x 90	70 x 70	8.8	44	107	500	footmaster-65mm
75	95 x 95	70 x 70	11	53	119	750	footmaster-75mm

GATE KITS

Wheels for sliding gates

Wheel: Mild steel

Bearing: Ball Bearing
Load Capacity: 500kg - 1200kg

mm	mm	mm	kg	Product Code
43	50 x 45	73	500	GKIT40
48	50 x 45	76	700	GKIT60
68	65 x 45	90	800	GKIT80
100	130 x 50	111	1200	GKIT100

HAMMER / TRUCK LOCK SERIES

Material: Steel

Load Capacity: 200kg - 300kg

mm	mm	mm	mm	kg	Product Code
120 x 120	85/100 x 85/100	10	130 - 150	200	HL4
120 x 120	85/100 x 85/100	10	160 - 175	230	HL5
120 x 120	85/100 x 85/100	10	170 - 210	280	HL6
120 x 120	85/100 x 85/100	10	210 - 245	300	HL8

WHEELS



PJR WHEEL

Thermoplastic rubber tyred wheel

Rim: Polypropylene
Tread: Thermoplastic Rubber
Bearing: Ball Bearing
Load Capacity: 80kg - 100kg

Product Code	mm	mm	mm	mm	Bearing	kg
PJO050	50	19	21	6	Ball	50
PJO075	75	25	30	6	Ball	75
PJR100	100	30	35	8	Ball	80
PJR125	125	30	35	8	Ball	100

VRB WHEEL

Premium Vulcanised Rubber

Rim: Polyamide
Tread: Grey elastic rubber
Bearing: Ball Bearing
Load Capacity: 200kg - 350kg

Product Code	mm	mm	mm	mm	Bearing	kg
VRB100	100	35	40	8	Ball	200
VRB125	125	38	52	10	Ball	220
VRB160	160	46	59	12	Ball	300
VRB200	200	46	59	12	Ball	350

SER WHEEL

Elastic rubber tyred wheel

Rim: Polyamide
Tread: Super Elastic Rubber
Bearing: Ball Bearing
Load Capacity: 90kg - 250kg

Product Code	mm	mm	mm	mm	Bearing	kg
SER080	80	30	37	8	Ball	90
SER100	100	32	37	8	Ball	120
SER125	125	36	48	10	Ball	140
SER160	160	47	55	20/25	Ball	200
SER200BB	200	50	59	20/25	Ball	250

NY WHEEL

Nylon wheel

Wheel: Nylon
Bearing: Plain or Ball Bearing
Load Capacity: 50kg - 500kg

Product Code	mm	mm	mm	mm	Bearing	kg
WNY20	50	17	26	6	Plain	50
WNY25	63	22	33	9	Plain	75
WNY3	75	25	39	13	Plain	125
WNY4	100	30	48	14	Plain	200
WNY5	125	34	48	14	Plain	240
WNY6	150	40	60	19	Plain	400
WNY7BB	175	40	55	20/25	Ball	500
WNY8BB	200	45	55	20/25	Ball	500



WHEELS

WPN WHEEL

Nylon centred wheel with Polyurethane tyre

Rim: Nylon
Tread: Polyurethane

Bearing: Plain or Ball Bearing
Load Capacity: 160kg - 350kg

mm	mm	mm	mm	Bearing	kg	Product Code
125	32	35	15	Ball	160	WPN5
150	43	60	20/25	Ball	250	WPN6BB
200	45	60	20/25	Ball	350	WPN8BB
200	45	60	25	Plain	350	WFNT200

ITP WHEEL

Polyurethane bonded, cast-aluminium wheel

Rim: Cast Aluminium
Tread: Polyurethane

Bearing: Ball Bearing
Load Capacity: 250kg - 500kg

mm	mm	mm	mm	Bearing	kg	Product Code
100	50	60	20/25	Ball	250	ITP100
125	50	60	20/25	Ball	300	ITP125
160	50	60	20/25	Ball	400	ITP160
200	50	60	20/25	Ball	500	ITP200
200	50	60	20/25	Ball	500	ITR200 (Rubber wheel)

WPU MEDIUM DUTY WHEEL

Rim: Cast Iron
Tread: Polyurethane

Bearing: Plain or Ball Bearing
Load Capacity: 225kg - 600kg

mm	mm	mm	mm	Bearing	kg	Product Code
100	50	55	20/25	Ball	225	WPU042B/C
125	50	55	20/25	Ball	320	WPU052B/C
150	50	55	20/25	Ball	400	WPU062B/C
200	50	55	20/25	Ball	500	WPU082B/C
250	50	55	20/25	Ball	600	WPU102B/C

WRT WHEEL

Spoked cast iron rubber wheel

Rim: Cast iron
Tread: Black rubber

Bearing: Ball Bearing
Load Capacity: 800kg - 1000kg

mm	mm	mm	mm	Bearing	kg	Product Code
300	75	83	25	Ball	800	WRT123B25
350	75	83	25	Ball	800	WRT143B25
400	75	83	25	Ball	1000	WRT163B25

WHEELS

WPU HEAVY DUTY WHEEL

WPU polyurethane bonded, cast iron wheel

Rim: Cast Iron
Tread: Polyurethane

Bearing: Plain or Ball Bearing
Load Capacity: 100kg - 3000kg

Product Code	mm	mm	mm	mm	Bearing	kg
WPU0312P12	75	25	33	12	Plain	100
WPU0412P12	100	28	44	12	Plain	225
WPU0415P19	100	38	60	19	Plain	325
WPU0415B20/25	100	38	60	20/25	Ball	325
WPU0512P12	125	32	44	12	Plain	250
WPU0515P19	125	38	60	19	Plain	400
WPU0515B20/25	125	38	60	20/25	Ball	400
WPU0615P19	150	38	60	19	Plain	500
WPU0615B20/25	150	38	60	20/25	Ball	500
WPU062P19/25	150	50	60	19/25	Plain	650
WPU062B20/25	150	50	60	20/25	Ball	650
WPU063P25	150	75	85	25	Plain	1000
WPU063B25	150	75	85	25	Ball	1000
WPU0815P19	200	38	60	19	Plain	700
WPU0815B20/25	200	38	60	20/25	Ball	700
WPU082P25	200	48	60	25	Plain	900
WPU082B25	200	48	60	25	Ball	900
WPU083B25	200	75	85	25	Ball	1300
WPU102P25	250	50	60	25	Plain	1100
WPU102B25	250	50	60	25	Ball	1100
WPU103P25	250	75	85	25	Plain	1700
WPU103B25	250	75	85	25	Ball	1700
WPU122P25	300	50	60	25	Plain	1500
WPU122B25	300	50	60	25	Ball	1500
WPU123P25	300	75	85	25	Plain	2500
WPU123B25	300	75	85	25	Ball	2500
WPU142B25	350	50	60	25	Ball	1500
WPU143B25	350	75	85	25	Ball	1500
WPU163P25	400	75	90	25	Plain	2500
WPU163B25	400	75	90	25	Ball	2500
WPU164P25	400	100	115	25	Plain	3000
WPU164B25	400	100	115	25/30	Ball	3000

WHEELS

CAST IRON WHEEL

Cast iron wheel

Wheel: Cast Iron
Bearing: Plain or Ball Bearing
Load Capacity: 80kg - 1100kg

mm	mm	mm	mm	Bearing	kg	Product Code
63	32	36	10	Plain	80	WCW065
75	36	40	12	Plain	100	WCW0312P12
100	37	46	12	Plain	225	WCW0412P12
100	44	60	19	Plain	325	WCW0415P19
100	44	60	20/25	Ball	325	WCW0415B20/25
125	36	49	12	Plain	250	WCW0512P12
125	44	56	19	Plain	400	WCW0515P19
125	44	56	20/25	Ball	400	WCW0515B20/25
150	48	60	19/25	Plain	650	WCW062P19/25
150	48	60	20/25	Ball	650	WCW062B20/25
200	45	60	19/25	Plain	900	WCW082P19/25
200	45	60	20/25	Ball	900	WCW082B20/25
250	50	60	19/25	Plain	1100	WCW102P19/25
250	50	60	20/25	Ball	1100	WCW102B20/25

FLANGED WHEEL

Used for manoeuvring on rails

Wheel: Cast Iron
Bearing: Ball Bearing
Load Capacity: 900kg - 2000kg

mm	mm	mm	mm	Bearing	kg	Product Code
100	33	58	20	Ball	900	100CWR/F20
150	33	58	25	Ball	1200	150CWR/F25
200	38	55	25	Ball	1500	200CWR/F25
250	45	67	25	Ball	1500	250CWR/F25
300	95	71	25	Ball	2000	300CWR/F25

V-GROOVE WHEEL

Used for manoeuvring on rails or inverted iron tracks

Wheel: Cast Iron
Bearing: Ball Bearing
Load Capacity: 900kg - 1500kg

mm	mm	mm	mm	Bearing	kg	Product Code
75	50	30	20	Ball	900	075CWR/V20
100	55	32	20	Ball	900	100CWR/V20
150	60	32	25	Ball	1200	150CWR/V25
200	60	32	25	Ball	1500	200CWR/V25

WHEELS

SPLIT DISC WHEEL

General purpose wheel

Rim: Steel split disc
Tread: Rubber
Bearing: Plain or Ball Bearing
Load Capacity: 70kg - 850kg

Product Code	mm	mm	mm	mm	Bearing	kg
WSN062	150	50	54	25	Plain	70
WSN082	200	50	54	25	Plain	100
WSS062P	150	50	56	25	Plain	70
WSS062B	150	50	56	25	Ball	70
WSS082P	200	50	56	25	Plain	100
WSS082B	200	50	56	25	Ball	100
WSS102P	250	50	75	25	Plain	115
WSS102B	250	50	75	25	Ball	115
WSS122P	300	50	75	25	Plain	125
WSS122B	300	50	75	25	Ball	125
WSS123P	300	75	75	25	Plain	160
WSS123B	300	75	75	25	Ball	160
WSS143P	350	75	75	25	Plain	180
WSS143B	350	75	75	25	Ball	180
WSS144P	350	95	75	25	Plain	180
WSS163P	400	75	75	25	Plain	180
WSS163B	400	75	75	25	Ball	180
WSS400X8CT	400	100	83	25/30	Ball	850

SPLIT POLYPROP RIM WHEEL

Cross section tyre support for increased durability & load cap

Rim: Polypropylene split rim
Tread: Rubber
Bearing: Plain or Ball Bearing
Load Capacity: 200kg

Product Code	mm	mm	mm	mm	Bearing	kg
WSP-250-50P	250	50	56	20/25	Plain	200
WSP-250-50B	250	50	56	20/25	Ball	200
WSP-320-55P	320	55	73	20/25	Plain	200
WSP-320-55B	320	55	73	20/25	Ball	200

WHEELS

PNEUMATIC WHEEL NYLON CENTRE

Inflatable rubber tyre for use on rough terrain

Rim: Nylon
Tread: Rubber
Bearing: Plain Bore
Load Capacity: 80kg - 180kg

mm	mm	mm	mm	Bearing	kg	Product Code
210	70	75	20	Plain	80	WSP082P
260	85	75	20	Plain	100	WSP1034P
400	100	95	25	Plain	180	WSP1646HP

PNEUMATIC WHEEL STEEL CENTRE

Inflatable rubber tyre for use on rough terrain or towing

Rim: Steel split disc
Tread: Rubber or puncture proof available
Bearing: Ball Bearing
Load Capacity: 120kg - 250kg

mm	mm	mm	mm	Bearing	kg	Product Code
200	50	63	20/25	Ball	120	WSP082B
260	85	60	20/25	Ball	150	WSP1034B
300	100	60	20/25	Ball	150	WSP1244B
400	100	80	20/25	Ball	250	WSP1646HB

PNEUMATIC WHEEL POLYPROP CENTRE

Inflatable rubber tyre ideal for trolleys, wheelbarrows or carts

Rim: Polypropylene
Tread: Rubber
Bearing: Ball Bearing
Load Capacity: 150kg - 170kg

mm	mm	mm	mm	Bearing	kg	Product Code
265	80	85	20/25	Ball	150	WSP-260-85
300	80	85	20/25	Ball	170	WSP-300-85

RATA SPOKED WHEEL

Light duty wheel for toys, braais etc.

Rim: Polyurethane spoke
Tread: PVC
Bearing: Plain Bearing
Load Capacity: 20kg

mm	mm	mm	mm	Bearing	kg	Product Code
135	19	23	10	Plain	20	RATA135
150	27	23	10	Plain	20	RATA150
160	18	23	10	Plain	20	RATA160
180	30	23	10	Plain	20	RATA180

WHEELS

LAWN MOWER WHEEL

Light general applications.
Made to fit most lawn mowers

Rim: Nylon
Tread: Rubber

Bearing: Plain Bearing
Load Capacity: 40kg - 60kg

Product Code	mm	mm	mm	mm	Bearing	kg
LM615	150	30	35	12	Plain	40
LM715	180	30	50	12	Plain	50
LM820	200	30	50	12	Plain	60

PALLET ROLLERS NYLON

Replacement wheels for pallet jacks

Wheel: Nylon

Bearing: Ball Bearing
Load Capacity: 500kg - 800kg

Product Code	mm	mm	mm	mm	Bearing	kg
WLN065080B20	65	85	85	20/25	Ball	600
WLN075077B20	75	77	77	20/25	Ball	500
WLN075080B20	75	80	80	20/25	Ball	500
WLN08070B20	80	70	70	20/25	Ball	600
WLN085100B20	85	100	100	20/25	Ball	800

PALLET ROLLERS PU

Replacement wheels for pallet jacks

Rim: Cast Iron
Tread: Polyurethane

Bearing: Ball Bearing
Load Capacity: 600kg - 800kg

Product Code	mm	mm	mm	mm	Bearing	kg
WLU085060	85	60	60	20/25	Ball	600
WLU08070B20	80	70	70	20/25	Ball	600
WLU085075B20	85	75	75	20/25	Ball	800
WLU085100B20	85	100	100	20/25	Ball	800

STANDARD - 3T hydraulic pallet jack

- Integrated 3 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for the use on standard pallets (1200mm x 1000mm)

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
1200	1220	685	160	85	115	3000	PTDF3000

NARROW - 3T hydraulic pallet jack

- Integrated 3 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for the use on standard European pallets (1200mm x 900mm)

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
1200	1220	550	160	85	115	3000	PTDF3000-NRW

SUPER NARROW - 3T hydraulic pallet jack

- Integrated 3 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for the use on non standard narrow pallets

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
1200	1220	520	160	85	115	3000	PTDF3000-SNRW

STANDARD - 3.5T hydraulic pallet jack

- Integrated 3.5 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for the use on standard pallets (1200mm x 1000mm)

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
1200	1220	685	160	85	115	3500	PTDF3500-LS

LIFTING & HANDLING

LOW PROFILE - 2T hydraulic pallet jack

- Integrated 2 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for the use on lowered container pallets & specialised applications

Product Code	mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg
PTDF2000-LP	1200	1220	685	160	51	105	2000

1.5M EXTENDED FORK - 2T hydraulic pallet jack

- Integrated 2 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for the use on extended brewery pallets

Product Code	mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg
PTDF2000-1.5	1200	1500	685	160	85	115	2000

1.8M EXTENDED FORK - 2T hydraulic pallet jack

- Integrated 2 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for the use on extended brewery pallets

Product Code	mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg
PTDF2000-1.8	1200	1800	685	160	85	115	2000

STAINLESS STEEL - 2.5T hydraulic pallet jack

- Integrated 2.5 ton pump
- Nylon wheels
- Ideal for use in environments where strict sanitary & hygiene is required (Such as food/drink & pharmaceutical industries)

Product Code	mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg
SS-PTDF2500-NY	1200	1220	685	160	85	115	2500

GALVANISED - 3T hydraulic pallet jack

- Integrated 3 ton pump
- Nylon wheels
- Ideal for use in environments where corrosive substances are present

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
1200	1220	685	160	85	200	3000	PTDF3000-GALV

STANDARD - 5T hydraulic pallet jack

- Integrated 5 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for moving heavy tools, machines & equipment

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
1200	1220	685	160	85	115	5000	PTDF5000-LS

SCALE - 2.5T pallet jack

- Scale function up to 2.5 tons
- Kg/lb options available
- Integrated 2.5 ton pump
- Nylon or polyurethane wheels available
- Powder coated finish
- Ideal for use in the transport, packaging & food industries

Scale Function

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
1200	1220	685	160	85	120	2500	PTDF2500-scale

FULL ELECTRIC - 2T pallet jack

- Integrated 2 ton pump
- Polyurethane wheels
- Powder coated finish
- Multi-function handle
- Lithium Ion battery
- Ideal for longer distance applications

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
1220	1220	685	160	82	115	2000	EPJ-2000/LI

LIFTING & HANDLING

NARROW FULL ELECTRIC - 1.5T pallet jack

- Integrated 1.5 ton pump
- Polyurethane wheels
- Powder coated finish
- Multi-function handle
- Lithium Ion battery
- Ideal for longer distance applications and non standard pallets

Product Code	mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg
EPJ-1500/NAR	1220	1220	550	160	82	115	1500

MANUAL HIGH LIFT - 1.5T pallet jack

- Lateral stabilisers ensure stability when raised
- Dual cylinder pump
- Polyurethane wheels
- Ideal for variable walking height applications

Product Code	mm	mm	mm	mm	mm	mm	kg
HLPJ-1500	1200	1150	680	160	85	800	1500

NARROW MANUAL HIGH LIFT - 1.5T pallet jack

- Lateral stabilisers ensure stability when raised
- Dual cylinder pump
- Polyurethane wheels
- Ideal for narrow variable walking height applications

Product Code	mm	mm	mm	mm	mm	mm	kg
HLPJ-1500-NAR	1200	1150	550	160	85	800	1500

PLATFORM STACKER - light duty manual

- Easy action foot operated hydraulic lift for raising table top to desired height
- Powder coated finish
- Ideal for lighter duty lifting applications

Product Code	mm	mm	mm	Min Lift mm	Max Lift mm	kg
MSP400-850	1110	650	580	90	850	400
MSP400-1500	1760	650	580	90	1500	400

MANUAL STACKER - 2T

- Adjustable forks
- Hand and foot pump action
- Lockable castors
- Powder coated finish
- Ideal for the loading / offloading of delivery vehicles

mm	mm	mm	mm	mm	mm	kg	Product Code
2020	1150	740	150	85	1600	2000	MS2000-1.6

WIDE STRADDLE - 2T manual stacker

- Adjustable forks
- Lockable castors
- Turning radius of 1650mm
- Powder coated finish
- Designed to straddle a standard & European pallet

mm	mm	mm	mm	mm	mm	kg	Product Code
2020	1480	1360	150	85	1600	2000	WSMS2000-1.6

DRUM LIFT ROTATOR - manual

- Used to lift, rotate and empty drums
- Drum size: 210 Litres
- Powder coated finish

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
2020	1200	920	600	50	1400	350	MS400-DLR
2020	1200	920	600	50	3000	350	MS400-DLR-3M

MULTI-FUNCTIONAL DRUM DUMPER - manual

- Used to lift, rotate and empty drums
- Combined eagle-grip and anchor-ear structure
- Suitable for palstic and steel 210 litre drums
- Powder coated finish

mm	mm	mm	mm	Min Lift mm	Max Lift mm	kg	Product Code
2100	1400	1000	600	50	1400	450	MS400-DLR-P/S

LIFTING & HANDLING

PARROT GRAB DRUM STACKER - manual

- Designed to load & offload steel drums from delivery vehicles
- Efficiently moves drums around in the warehouse
- Can be used to double stack drums
- Fitted with a self clamping parrot grab mechanism

Product Code	mm	mm	mm	mm	mm	kg
MS400/1400-PAR-GRAB	2085	1140	850	600	1600	400

VANGO - semi electric self-loading stacker

- Designed for the use of one man delivery schedules to save on labour costs
- Self loading / offloading onto your vehicle
- Light duty applications
- Powder coated finish

Product Code	mm	mm	mm	mm	mm	mm	kg
SEVANGO500	1580	1650	786	160	85	1300	500

SEMI ELECTRIC STACKER - 1.5 T

- Adjustable forks
- Ideal for the use in storerooms, warehouses & vehicle loading applications
- Battery: 12V 120Ah
- Powder coated finish

Product Code	mm	mm	mm	mm	mm	mm	kg
SES1500-3000	2080	1150	320~680	160	85	3000	1500
SES1500-3500	2330	1150	320~680	160	85	3500	1500

WIDE STRADDLE - 1.5T semi electric stacker

- Adjustable forks
- Ideal for the use in storerooms, warehouses & vehicle loading applications
- Designed to straddle a standard & European pallet
- Battery: 12V 120Ah
- Powder coated finish

Product Code	mm	mm	mm	mm	mm	mm	kg
WSSES1500-3000	2085	1070	230~115	160	85	3000	1500
WSSES1500-3500	2085	1070	230~115	160	85	3500	1500

FULL ELECTRIC STACKER - 1.5T

- Fixed & adjustable fork options available
- Ideal for the use in storerooms, warehouses & vehicle loading applications
- Increases efficiency & productivity
- Battery: 2 x 12V 75Ah
- Powder coated finish

mm	mm	mm	mm	mm	mm	kg	Product Code
2035	1770	820	160	90	3300	1500	ES1500-3300

WIDE STRADDLE - 1.5T full electric stacker

- Adjustable forks
- Designed to straddle a standard & European pallet
- Increases efficiency & productivity
- Battery: 2 x 12V 75Ah
- Powder coated finish

mm	mm	mm	mm	mm	mm	kg	Product Code
2165	1070	200~800	105	70	3300	1500	WSES1500-3300
2165	1070	200~800	105	70	4500	1500	WSES1500-4500

COUNTER BALANCE - 2T full electric stacker

- Ride on stacker with speeds of up to 5km/h
- Minimum turning radius: 1840mm
- Battery: 24V 200/280/340 Ah
- Ideal for the use in storerooms, warehouses & vehicle loading applications
- Counter balanced for variable lifting applications
- Powder coated finish

mm	mm	mm	mm	mm	mm	kg	Product Code
2205	1070	240~680	120	70	3000	2000	CDES2000-3000

SCISSOR LIFT TABLE

- Manual foot operated lift
- Steel construction
- Heavy duty polyurethane lockable castors
- Ideal for variable walking height applications
- Powder coated finish

mm	mm	mm	mm	Min Lift mm	mm	kg	Product Code
970	50	905	500	360	1300	350	LT350-1.3
970	50	905	500	360	1500	500	LT500-1.5
1000	80	1200	610	500	1700	1000	LT1000-1.7

LIFTING & HANDLING

DRUM CARRIER

- Used to transport steel drums
- Drum size: 210L
- Powder coated finish

Product Code	mm	mm	mm	mm	kg
DC210L	1180	1025	810	150	300

SINGLE - parrot grab

- Suitable for steel 210 litre drums
- Height adjustable for use with different drum shapes
- Powder coated finish

Product Code	mm	mm	mm	kg
PAR-GRAB-SIN	750	670	850	360

DOUBLE - parrot grab

- Suitable for steel 210 litre drums
- Height adjustable for use with different drum shapes
- Powder coated finish

Product Code	mm	mm	mm	kg
PAR-GRAB-DBL	900	760	850	720

MOBILE DRUM CARRIER - manual

- Used to transport, lift, rotate and empty drums
- Can be poured or positioned horizontally or vertically
- Suitable for palstic or steel 210 litre drums
- Powder coated finish

Product Code	mm	mm	mm	mm	Vert Lift mm	Horiz Lift mm	kg
MBC210L	1180	1380	800	600	200	350	300

ROUND DRUM DOLLY

- Ideal for manoeuvering drums in a warehouse environment
- Externally mounted castors for increased stability
- 75mm swivel castors
- Powder coated finish
- Available in stainless steel

Product Code	mm	Ø mm	mm	kg
DD210L	230	600	75	400





EXPRESS SKATES KIT - heavy duty

Skate

Turntable

Packing Plate

- Used to lift machinery or other heavy loads
- Up to 20 - 60 tons over 4 skates (5 - 15 tons per skate)
- Powder coated finish

Height mm	Width mm	Length mm	kg	Product Code
80	150	270	20T / 4	HDS-20T/SKATE
70	160	260	20T / 4	HDS-20T/T-TABLE
25	250	860	.	HDS-20T/HANDLE
80	150	350	30T / 4	HDS-30T/SKATE
70	160	260	30T / 4	HDS-30T/T-TABLE
25	250	860	.	HDS-30T/HANDLE
110	205	440	60T / 4	HDS-60T/SKATE
150	210	300	60T / 4	HDS-60T/T-TABLE
25	250	860	.	HDS-60T/HANDLE

FORK HOOK

- Used to lift, rotate and empty drums
- Combined eagle-grip and anchor-ear structure
- Suitable for palstic and steel 210 litre drums
- Powder coated finish

mm	mm	mm	kg	Product Code
150	660	140	2500	FL-FH-2.5T
180	730	220	5000	FL-FH-5T

CROWBAR - on wheels

- Used to elevate heavy objects that are usually low to the ground
- HD 125mm polyurethane wheels
- Powder coated finish

mm	mm	mm	kg	Product Code
1470	250	240	1500	Crowbar

FORK LIFT SAFETY CAGE

- Certified safety cage designed to be used in conjunction with a forklift in a warehouse and on site applications
- Electroplated finish

mm	mm	mm	kg	Product Code
2000	1000	1200	250	Safety Cage

STEEL SCAFFOLDING

STEEL SELF-LOCK SCAFFOLD TOWERS

Tubular steel scaffolding
Quick assembly and dismantling
Inexpensive alternative to aluminium scaffolding
Available in 1.5m, 2.1m and 3.0m base frame sizes

Towers include: Frames, base braces, safety rails, handrails, diagonal braces, lockable castors and platforms.

1.5m x 1.5m Base Tower	Top Platform Height			
	4m	**5m**	**6m**	**8m**
Frames	8	10	12	16
Tie Braces	4	4	4	4
Cross Braces	2	2	2	3
Steelboards	6	6	6	6
Castors	4	4	4	4
Optional Extras				
Base Jacks	4	4	4	4
Access Ladders	1	2	2	3
Toe Board Set	1	1	1	1
Trapdoor	1	1	1	1
Knee Braces	4	4	4	4

2.1m x 2.1m Base Tower	Top Platform Height			
	6m	**8m**	**10m**	**12m**
Frames	12	16	20	24
Tie Braces	4	4	4	4
Cross Braces	2	3	3	4
Steelboards	9	9	9	9
Castors	4	4	4	4
Optional Extras				
Base Jacks	4	4	4	4
Access Ladders	2	3	4	5
Toe Board Set	1	1	1	1
Trapdoor	1	1	1	1
Knee Braces	4	4	4	4

3.0m x 3.0m Base Tower	Top Platform Height			
	8m	**10m**	**12m**	**15m**
Frames	16	20	24	30
Tie Braces	4	4	4	4
Cross Braces	3	3	4	4
Steelboards	12	12	12	12
Castors	4	4	4	4
Optional Extras				
Base Jacks	4	4	4	4
Access Ladders	3	4	5	7
Toe Board Set	1	1	1	1
Trapdoor	1	1	1	1
Knee Braces	4	4	4	4

Optional Extras:

Access Ladder

Adjustable Castor

Trap Door



Base Jack & Knee Brace

Toe Board



Safety Harness

ALUMINIUM SCAFFOLDING

STAIRWAY TOWER SERIES

Lightweight aluminium scaffolding -
Quick assembly and dismantling compared to other scaffolding -
Full guard rails on all towers -
Internal staircase and platform on each level -
Lockable and height adjustable castors on all towers -
Safety harnesses available -

SPECIFICATIONS

Tower base dimension: 1.5m x 1.8m -
- Platform height from 2.5m to 12.5m with stabilisers -
- Maximum height 20.5m when tied to structure -
- Stabilisers on all towers above 4.5m -
- Bridging platform up to 7.2m available -

	Top Platform Height						
	2.5m	4.5m	6.5m	8.5m	10.5m	12.5m	14.5m
Stairwell Frames	2	4	6	8	10	12	14
Guard Rail Frames	2	2	2	2	2	2	2
Horizontal Braces	6	7	8	9	10	11	12
Diagonal Braces	1	2	3	4	5	6	7
Bannister Braces	1	2	3	4	5	6	7
Ladders	1	2	3	4	5	6	7
Trapdoor Platform	1	1	1	1	1	1	1
Plain Platform	1	2	3	4	5	6	7
Adjustable Castors	4	4	4	4	4	4	4
Triangular Stabilisers	0	0	L4	L4	J4	J4	J4
Lock Braces	L2 | S0	L2 | S2	L2 | S4	L2 | S6	L2 | S8	L2 | S10	L2 | S12
Toe Board Set	1	1	1	1	1	1	1



Key	Component	Dimensions m
A	Horizontal Brace (black)	1.8 (L)
B	Guard Rail Frame	1.5 (H) x 0.8 (W)
C	Lock Brace	L 0.5 / S 0.25 (L)
D	Platform Trapdoor	1.8 (L) x 0.45 (W)
E	Platform Plain	1.8 (L) x 0.45 (W)
F	Stepladder	2.5 (H) x 0.42 (W)
G	Bannister Brace (red)	2.5 (L)
H	Stairway Frame	1.5 (H) x 0.8 (W)
I	Diagonal Brace (yellow)	2.06 (L)
J	Adjustable Castor	0.2 (Diameter)

ALUMINIUM SCAFFOLDING

SPAN TOWER SERIES

- Lightweight aluminium scaffolding
- Quick assembly and dismantling compared to other scaffolding
- Full guard rails on all towers
- Lockable and height adjustable castors on all towers
- Safety harnesses available



SPECIFICATIONS

- Tower base dimension: 1.5m x 1.8m
- Platform height from 2.2m to 12.2m with stabilisers
- Maximum height 20.2m when tied to structure
- Stabilisers on all towers above 5.2m
- Bridging platform up to 7.2m available

	Top Platform Height										
	2.2m	3.2m	4.2m	5.2m	6.2m	7.2m	8.2m	9.2m	10.2m	11.2m	12.2m
4 Rung Frames	2	2	4	4	6	6	8	8	10	10	12
2 Rung Frames	0	2	0	2	0	2	0	2	0	2	0
Guard Rail Frames	2	2	2	2	2	2	2	2	2	2	2
Horizontal Braces	6	6	6	6	6	6	6	6	6	6	6
Diagonal Braces	4	6	8	10	12	14	16	18	20	22	24
Plain Platform	1	2	3	4	5	6	7	8	9	9	9
Trapdoor Platform	1	1	2	2	3	3	4	4	5	5	6
Adjustable Castors	4	4	4	4	4	4	4	4	4	4	4
Triangular Stabilisers	0	0	0	0	L4	L4	L4	L4	J4	J4	J4
Lock Braces	L4	L4	L4	L6	L6	L8	L8	L10	L10	L12	L12
Toe Board Set	1	1	1	1	1	1	1	1	1	1	1

Key	Component	Dimensions m
A	2 Rung Guard Rail Frame	1.5 (H) x 0.8 (W)
B	Glass-filled Tempered Nylon Hooks	n/a
C	Plain Platform	1.8 (L) x 0.45 (W)
D	Platform Trapdoor	1.8 (L) x 0.45 (W)
E	Diagonal Brace (red)	2.06 (L)
F	Span Frame (Half)	2 Rung - 1.5 (L) x 1.0 (H)
F	Span Frame	4 Rung - 1.5 (L) x 2.0 (H)
G	Horizontal Brace (Yellow)	1.8 (L)
H	Adjustable Castor	0.2 (Diameter)

ALUMINIUM SCAFFOLDING

NARROW SPAN TOWER SERIES

- Lightweight aluminium scaffolding
- Quick assembly and dismantling compared to other scaffolding
- Full guard rails on all towers
- Lockable and height adjustable castors on all towers
- Safety harnesses available

SPECIFICATIONS

- Tower base dimension: 0.9m x 1.8m
- Platform height from 2.2m to 8.2m with stabilisers
- Maximum height 8.2m when tied to structure
- Stabilisers on all towers above 2.2m
- Bridging platform up to 7.2m available

	Top Platform Height						
	2.2m	3.2m	4.2m	5.2m	6.2m	7.2m	8.2m
4 Rung Frame	2	2	4	4	6	6	8
2 Rung Frame	0	2	0	2	0	2	0
Guard Rail Frame	2	2	2	2	2	2	2
Horizontal Braces	6	6	6	6	6	6	6
Diagonal Braces	4	6	8	10	12	14	16
Trapdoor Platform	1	1	2	2	3	3	4
Adjustable Castors	4	4	4	4	4	4	4
Triangular Stabilisers	0	M4	M4	M4	L4	L4	J4
Lock Braces	L2	L4	L4	L6	L6	L8	L8
Toe Board Set	1	1	1	1	1	1	1



Key	Component	Dimensions m
A	2 Rung Guard Rail Frame	0.8 (H) x 0.9 (W)
B	Glassfilled Tempered Nylon Hooks	n/a
C	Trapdoor Platform	1.8 (L) x 0.45 (W)
D	Diagonal Brace (red)	2.06 (L)
E	Lock Brace	0.5 (L)
F	Narrow Span Frame	2.0 (H) x 0.9 (W)
G	Horizontal Brace (yellow)	1.8 (L)
H	Adjustable Castor	0.2 (Diameter)

ACCESS EQUIPMENT

LADDERSTAGE

- Mobile aluminium access platform
- Adjustable platform height between 950mm - 2150mm
- Reach heights of up to 4m
- Lockable castors
- Easily disassembled for transport
- Total weight 51kg's
- Platform size: 1780mm x 400mm
- Stabilisers can be added as an optional extra

Product Code	mm	ext - mm	mm	mm	mm	mm	mm	kg
Ladderstage	1920	3100	2150	800	2150	400	100	180

Castors

Ladder Locks

Rungs

Optional: Stabilisers

JONNO TOWER LADDER

- Height adjustable mobile tower ladder
- Reach vertical heights of up to 9.0m
- Lockable and adjustable castors
- Easily disassembled for transport
- Supplied with two stabilisers
- Total weight 85kg's
- Platform size: 400mm x 400mm

Product Code	mm	ext - mm	mm	mm	mm	kg
Jonno	1900	7140	2700	700	200	100

Castors

Brace Claws



Rope & Pulley

Basket

STORAGE BINS

STORAGE BINS

- Small parts storage bins
- Made from tough, impact and acid resistant. PRP1042 polypropylene co-polymers
- Bins are stackable and dividers are available for each size
- Colours available: black, blue, clear, green, grey, red, yellow

Product Code	mm	mm	mm
Bin2	75	105	135
Bin3	75	105	190
Bin4	130	140	210
Bin5	130	140	280
Bin6	180	210	280
Bin7	180	210	375
Bin8	180	420	375

WALL MOUNTING BIN PANELS

- Used for wall mounting bins
- Available in Ivory White

Product Code	mm	mm	mm
SBPANEL0432	432	457	1
SBPANEL0914	914	457	1
SBPANEL1219	1219	457	1
SBPANEL1524	1524	457	1
SBPANEL1828	1828	457	1

FREE STANDING BIN PANELS

- Single and double sided units available
- Available as stationary or mobile units with lockable castors

Product Code	mm	mm	mm
FSP0914X457	980	480	630 / 800
FSP1219X457	1280	480	630 / 800
FSP1524X457	1580	480	630 / 800
FSP1828X457	1890	480	630 / 800
FSP0914X914	980	935	630 / 800
FSP1219X914	1280	935	630 / 800
FSP1524X914	1580	935	630 / 800
FSP1828X914	1890	935	630 / 800

NESTING TOTE BINS

- Made from virgin PP and has a proven history of durability and utility
- Stacking and nesting containers with an integral two piece lid
- Easy carry handles on both short dimensions

Product Code	mm	mm	mm	L
TOTE7	185	300	200	7
TOTE18	240	400	300	18
TOTE52	320	600	400	52
TOTE68	365	600	400	68

LOCKERS

STEEL COMPARTMENT LOCKERS

- Used to securely store clothing & personal belongings
- Powder coated finish
- Lockable compartments
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	compartments
LO05	1800	300	450	1
LO10	1800	300	450	2
LO12	1800	300	450	3
LO15	1800	300	450	4
LO16	1800	300	450	5
LO17	1800	300	450	6
LO20	1800	600	450	12

LOCKER WITH TOP SHELF & HANGRAIL

- Used to securely store clothing & personal belongings
- Powder coated finish
- Lockable door
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	compartments	shelves
LO25	1800	410	520	1	1

LOCKER WITH 2 HALF SHELVES & MONEY BOX

- Used to securely store clothing & personal belongings
- Powder coated finish
- Lockable door
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	compartments	shelves
LO25-SP	1800	410	520	1	2.5

LOCKER WITH SINGLE MESH DOOR

- Used to securely store clothing & personal belongings
- Powder coated finish
- Lockable door
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	compartments	shelves
LO25-SPM	1800	410	520	1	1

WIRE MESH LOCKERS

- Used to securely store personal belongings
- Electroplated finish
- Lockable compartments

mm	mm	mm	compartments	Product Code
1800	300	450	1	WML1
1800	300	450	2	WML2
1800	300	450	4	WML4
1800	300	450	6	WML6

HOSTEL LOCKER WITH TOP SHELF & HANGRAIL

- Used to securely store clothing & personal belongings
- Powder coated finish
- Lockable doors
- Standard colours: Ivory Karoo or Hammertone Grey

mm	mm	mm	compartments	shelves	Product Code
1800	790	520	1	1	LO30

HOSTEL LOCKER WITH 2 HALF SHELVES & MONEY BOX

- Used to securely store clothing, personal belongings & valuables
- Powder coated finish
- Lockable doors
- Standard colours: Ivory Karoo or Hammertone Grey

mm	mm	mm	compartments	shelves	Product Code
1800	790	520	1	2.5	LO30-SP

STATIONARY CABINET

Multi purpose cabinet used to store files & office supplies
Powder coated finish
Lockable doors
Standard colours: Ivory Karoo or Hammertone Grey

mm	mm	mm	shelves	Product Code
900	900	450	1	CU05
1800	900	450	3	CU10

LOCKERS & CABINETS

BIN CABINET

- Cabinets fitted with No.7 or No.8 Bins
- Standard colours: Ivory Karoo or Hammertone Grey. Bins are available in 7 colours

Product Code	mm	mm	mm	shelves
BINCU5	900	900	450	1
BINCU10	1800	900	450	3

STATIONARY CABINET WITH MESH DOORS

- Used to securely store stationary
- Powder coated finish
- Lockable mesh doors
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	shelves
CU10-MESH	1800	900	450	4

GENTS WARDROBE

- Used to securely store clothing, personal belongings & valuables
- Powder coated finish
- Lockable doors
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	shelves
WA05	900	900	450	1
WA10	1800	900	450	4

LADIES WARDROBE

- Used to securely store clothing, personal belongings & valuables
- Powder coated finish
- Lockable doors
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	shelves
WA30	1800	900	450	1

LOCKERS & CABINETS

HAZARDOUS CABINET

- Used to store hazardous chemicals
- Yellow powder coated finish
- Perforated panels
- Stainless steel drip trays

Product Code	mm	mm	mm	shelves
HAZCAB2	900	900	450	2
HAZCAB	1800	900	450	4

PIGEON HOLE CABINET

- Compartmentalised storage cabinet
- Powder coated finish
- Lockable doors
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	compartments
PH05	900	900	450	12
PH10	1800	900	450	18
PH30	1800	900	450	21

FILING CABINET

- Easy access filing cabinet
- Powder coated finish
- Lockable drawers
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	drawers
FC20	710	470	630	2
FC30	1015	470	630	3
FC40	1320	470	630	4

KEY CABINET

- Secure storage space for keys
- Wall mountable
- Powder coated finish
- Lockable door
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm	hooks
KC10	310	185	50	25
KC20	550	270	50	50
KC30	550	390	50	100

LOCKERS & CABINETS

FOLDING TABLES

- Easy to erect and fold down
- Convenient for storage
- Sturdy legs and durable table top
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm
FT20	750	760	1000
FT15	750	760	1890

FIXED BENCH

- Knockdown with 4 pullout legs
- Powder coated finish
- Standard colours: Hammertone Grey

Product Code	mm	mm	mm
BEN10	400	255	1800

FOLDING BENCH

- Folding legs
- Powder coated finish
- Standard colours: Ivory Karoo or Hammertone Grey

Product Code	mm	mm	mm
FTB10	400	255	1830

CANTEEN BENCHES

- Sturdy construction
- Available in 2 sizes
- Available powder coated or electroplated

Product Code	mm	mm	mm
CA8-GT (Electroplated)	570	280	1800
CA8-PT (Powder Coated)	570	280	1800

MODULAR WORKSTATION - WS-MOD-WS

- Versatile general purpose workstation
- Perforated backsplash to hook or mount items
- Lockable doors
- Items can be sold seperately
- Mobile Tech Trolley optional
- Overall height: 1400mm
- Floor to table height: 900mm
- Table depth: 600mm
- Length: 3000mm
- Max load capacity: 100kg

1	Perforated panel to accommodate clips, prongs and Bin rails
2	Stainless steel top with rubber protection
3	Fixed job card holder
4	Electrical reticulation and power socket
5	Adjustable tilting monitor bracket for a monitor
6	Keyboard tray
7	Cabinet with adjustable shelf/shelves
8	Waste cabinet with 2 removable 50l poly bins for normal and recyclable waste
9	6 drawer mobile tool trolley with rubber drawer inserts & dividers. Fitted with hidden castor wheels & combination lock
10	General utility drawer
11	Multi-cabinet with general and CPU compartment with clean power socket and network reticulation

COMPACT MODULAR WORKSTATION - WS-MOD-CWS

- Versatile general purpose workstation
- Perforated backsplash to hook or mount items
- Lockable doors
- Items can be sold seperately
- Overall height: 1400mm
- Floor to table height: 900mm
- Table depth: 600mm
- Length: 2100mm
- Max load capacity: 100kg

1	Waste cabinet with 1 removable 50l poly bin for normal and recyclable waste
2	Perforated panel to accommodate clips, prongs and Bin rails
3	Stainless steel top with rubber protection
4	Fixed job card holder
5	Electrical reticulation and power socket
6	Adjustable tilting monitor bracket for a monitor
7	Keyboard tray
8	Combination lock
9	6 drawer mobile tool trolley with rubber drawer inserts and dividers. Fitted with hidden castor wheels
10	3 level tech trolley with hidden castors and a cladded front panel with handles
11	General utility drawer
12	Multi-cabinet with general and CPU compartment with clean power socket and network reticulation

DOUBLE MODULAR WORKSTATION - WS-MOD-DWS

- Versatile general purpose workstation
- Perforated backsplash to hook or mount items
- Lockable doors
- Items can be sold seperately
- Overall height: 1400mm
- Floor to table height: 900mm
- Table depth: 600mm
- Length: 2240mm
- Max load capacity: 100kg

1	Fixed job card holder
2	Perforated panel to accommodate clips, prongs and Bin rails
3	Stainless steel top with rubber protection
4	Adjustable tilting monitor bracket and a keybord tray
5	Electrical reticulation and power socket
6	Combination lock
7	6 drawer mobile tool trolley with rubber drawer inserts and dividers. Fitted with hidden castor wheels
8	General utility drawer
9	Multi-cabinet with general and CPU compartment with clean power socket and network reticulation

EXPRESS SERVICE MODULE WORKSTATION - WS-MOD-EXWS

- Versatile general purpose workstation
- Perforated backsplash to hook or mount items
- Lockable doors
- Items can be sold seperately
- Overall height: 1400mm
- Floor to table height: 900mm
- Table width: 600mm
- Length: 1500mm
- Max load capacity: 100kg

1	Perforated panel to accommodate clips, prongs and Bin rails
2	Stainless steel top with rubber protection
3	Fixed job card holder
4	Combination lock
5	Mobile 6 drawer tool trolley with rubber drawer inserts and dividers. Fitted with hidden castor wheels
6	3 level tech trolley with hidden castors and a cladded front panel with handles

TECH STATION - WS-TECH-STATION

- Versatile general purpose workstation
- Items can be sold seperately
- Floor to table height: 900mm
- Table depth: 685mm
- Length: 1800mm

1	Wall mounted work bench with top rubber protection
2	Mobile 3 level tech trolley with castors and a cladded fron panel with handles
3	Mobile 7 drawer tool trolley with rubber drawer inserts and dividers

WALL MOUNTED TOOLBOX

- Used to store and organise tools
- Lockable doors with 2 keys
- Heavy-duty epoxy coated 1.2mm steel construction

mm	mm	mm	Product Code
900	1200	200	WMTB900

WORKBENCH WITH GALVANISED TOP

- Heavy duty workbench
- Steel leg frame set with 44mm Supa wood top covered with Galvanised Steel top

mm	mm	mm	kg	Product Code
900	685	1800	500	WS-FS-GALV

SEVEN DRAWER TOOL TROLLEY

- Heavy-duty epoxy coated 1.2mm steel construction
- Fully lockable drawer set
- Drawers have rubber linings
- Handles for ease of movement

mm	mm	mm	shelves	Product Code
860	1180	820	7	7-DRAW-TOOL

WALL MOUNTED WORKBENCH WITH DROP DOOR

- Heavy-duty epoxy coated 1.6mm steel construction
- Lockable full length compartment
- Optional rubber/plastic top

mm	mm	mm	Product Code
700	250	1500	DD-WB-1500

RACKING & SHELVING

STEEL BOLTED SHELVING

- Ideal for light to medium duty industrial storage
- Features corner gussets for strength and stability
- Steel shelves
- Powder coated finish
- Dimensions are customizable as per the below sizings:

Height - mm	Width - mm	Depth - mm
1800	305 | 457 | 610	914
2100	305 | 457 | 610	914
2400	305 | 457 | 610	914
2700	305 | 457 | 610	914
3000	305 | 457 | 610	914
3300	305 | 457 | 610	914

MEDIUM DUTY STEEL RACKING

- Light or medium duty variations available
- Wooden or steel decks available
- Dimensions are customizable as per the below sizings:

Height - mm	Beam Length - mm	Frame Width - mm
1800	1500 | 1800 | 2100 | 2400 | 2700	300 | 450 | 600 | 900 | 1200
2100	1500 | 1800 | 2100 | 2400 | 2700	300 | 450 | 600 | 900 | 1200
2400	1500 | 1800 | 2100 | 2400 | 2700	300 | 450 | 600 | 900 | 1200
2700	1500 | 1800 | 2100 | 2400 | 2700	300 | 450 | 600 | 900 | 1200
3000	1500 | 1800 | 2100 | 2400 | 2700	300 | 450 | 600 | 900 | 1200

HEAVY DUTY STEEL RACKING

- Medium or heavy duty variations available
- Wooden or steel decks available
- Dimensions are customizable as per the below sizings:

Height - mm	Beam Length - mm	Frame Width - mm
1829	1219 | 1524 | 1829 | 2134 | 2438 | 2743	610 | 762 | 838 | 914 | 1067 | 1219
2134	1219 | 1524 | 1829 | 2134 | 2438 | 2743	610 | 762 | 838 | 914 | 1067 | 1219
2438	1219 | 1524 | 1829 | 2134 | 2438 | 2743	610 | 762 | 838 | 914 | 1067 | 1219
2743	1219 | 1524 | 1829 | 2134 | 2438 | 2743	610 | 762 | 838 | 914 | 1067 | 1219
3048	1219 | 1524 | 1829 | 2134 | 2438 | 2743	610 | 762 | 838 | 914 | 1067 | 1219
3353	1219 | 1524 | 1829 | 2134 | 2438 | 2743	610 | 762 | 838 | 914 | 1067 | 1219



GRAVITY CONVEYOR SYSTEM

Gravity Conveyors do not use any power to propel items. The system uses gravity or any external force to move products along a flat or decline surface. It may consist of rollers or skate wheels. The gravity conveyor is a cost-effective, durable and low-maintenance solution.

STANDARD COMPLETE CONVEYORS

- Conveyors are supplied in 3m lengths as a standard, height adjustable legs are optional.
- These are modular to accommodate for any total length, 90° and 180° bends are available to suit.
- Widths vary to accommodate the roller, standard inside frame widths are 300mm, 450mm and 600mm.
- Roller pitch is determined by goods being conveyed and roller diameter.
- Standard pitches are 40mm, 75mm, 112mm, 150mm, 200mm and 300mm

Roller Diameter mm	Wall Thickness mm	Roller Length* mm	kg
Standard Light Duty			
25	1.2	300 | 450 | 600	20
38	1.2	300 | 450 | 600	40
Standard Medium Duty			
50	1.6	300 | 450 | 600	70
60	2	300 | 450 | 600	150
Standard Heavy Duty			
63	2.5	300 | 450 | 600	150
76	3	300 | 450 | 600	300
89	2.5	300 | 450 | 600	300

* Special lengths available on request

GET IN TOUCH

JOHANNESBURG

Head Office



2 Bismut Street, Jet Park, Boksburg, Gauteng	
Tel:	0861 CASLAD (227 523)
WhatsApp:	067 603 5134
Email:	sales@caslad.co.za

DURBAN

Unit 18 Thynk Industrial Park, Cnr Queen Nandi Dr & Brickworks Way, Briardene, KZN	
Tel:	0861 CASLAD (227 523)
WhatsApp:	065 179 8436
Email:	durban@caslad.co.za

CAPE TOWN



Unit 2, Stephmar Building, 27 Stella Road, Montague Gardens, Western Cape	
Tel:	0861 CASLAD (227 523)
WhatsApp:	072 307 1913
Email:	capetown@caslad.co.za

BLOEMFONTEIN



Quaggafontein, Bloemfontein, Free State	
Tel:	0861 CASLAD (227 523)
WhatsApp:	
Email:	bloem@caslad.co.za

WWW.CASLAD.CO.ZA

@casladagencies

@caslad_sales

@caslad

@casladmanufacturing